

# Alston & Bird LLP

Bank of America Plaza  
101 South Tryon Street, Suite 4000  
Charlotte, NC 28280-4000  
(704) 444-1000  
Fax (704) 444-1111

March 31, 2009


Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Re: United States Patent for *Volumetric Dispenser*  
Application No. 10/598,648; Filed June 20, 2007  
Patent No. 7,490,719; Issued February 17, 2009  
Our File 040857/316148

Sir:

It is respectfully requested that a Certificate of Correction be issued for the above-identified patent, in accordance with 37 C.F.R. §1.322. This request is made in order to correct the mistakes incurred through the fault of the United States Patent and Trademark Office ("USPTO").

The mistakes appearing in the patent are set forth on the Certificate of Correction e-filed herewith.

Respectfully submitted,  


Donald M. Hill, Jr.  
Registration No. 40,646

DMH:mf  
Enclosure

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**

PATENT NO. : 7,490,719 B2

Page 1 of 1

APPLICATION NO. : 10/598,648

ISSUE DATE : February 17, 2009

INVENTOR(S) : Parker

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 3,

Line 23, "housing" should read --chamber--;

Line 26, "housing" should read --cap--.

MAILING ADDRESS OF SENDER

ALSTON & BIRD LLP  
Bank of America Plaza  
101 South Tryon Street, Suite 4000  
Charlotte, NC 28280-4000  
Tel Charlotte Office (704) 444-1000